

































# Product Portfolio




---

APPLIED SYSTEMS

# Air cooled chiller range

	Refrigerant	Inverter 	Free cooling 	Compressor			Efficiency version				Sound version			
				Swing 	Scroll 	Screw 	Standard	High	Premium	High ambient	Standard	Low	Reduced	Extra low
<b>Cooling only</b>														
EWAQ~ADVP 	R-410A	AC		✓			✓					✓		
EWAQ~ACV3/ACW1 	R-410A	AC			✓		✓					✓		
EUWA*~KBZW1 	R-407C				✓		✓					✓		
EWAQ~BA* 	R-410A	AC			✓		✓					✓		
EWAQ~DAYN 	R-410A				✓		✓					✓		
EWAQ~E- 	R-410A				✓			✓				✓	✓	✓
EWAQ~F- 	R-410A				✓		✓	✓				✓	✓	✓
EWAQ~GZ <b>NEW</b>  preliminary	R-410A	DC			✓			✓				✓	✓	✓
EWAD~E- 	R-134a					✓	✓					✓	✓	
EWAD~D- 	R-134a					✓	✓	✓		✓		✓	✓	✓
EWAD~BZ 	R-134a	AC				✓	✓	✓				✓	✓	✓
EWAD~TZ <b>NEW</b>  preliminary	R-134a	AC				✓	✓	✓				✓	✓	✓
EWAD~C- 	R-134a					✓	✓	✓	✓			✓	✓	✓
EWAD~CZ 	R-134a	AC				✓	✓	✓				✓	✓	✓
EWAD~DZ <b>NEW</b>  preliminary	R-134a	DC				✓	✓	✓				✓	✓	✓
EWAD~CF 	R-134a		✓			✓	✓	✓				✓	✓	✓
<b>Heat pump</b>														
EWYQ~ADVP 	R-410A	AC		✓			✓					✓		
EWYQ~ACV3/ACW1 	R-410A	AC			✓		✓					✓		
EUWY*~KBZW1 	R-407C				✓		✓					✓		
EWYQ~BA* 	R-410A	AC			✓		✓					✓		
EWYQ~DAYN 	R-410A				✓		✓					✓		
EWYQ~F <b>NEW</b> 	R-410A				✓			✓				✓	✓	✓
EWYQ~GZ <b>NEW</b>  preliminary	R-410A	DC			✓			✓				✓	✓	✓
EWYD~BZ 	R-134a	AC				✓	✓					✓	✓	
<b>Condensing unit</b>														
ERAD~E- 	R-134a					✓	✓					✓	✓	

Capacity classes (kW)






## Water cooled chiller range

	Refrigerant	Inverter	Compressor			Efficiency version		Sound version
			Scroll	Screw	Centrifugal	Standard	High	Standard
<b>Water cooled chillers (Cooling only &amp; Heating only)</b>								
EWWP~KBW1N	R-407C		✓			✓		✓
EWWD~J-	R-134a			✓		✓		✓
EWWD~G-	R-134a			✓		✓	✓	✓
EWWD~I-	R-134a			✓		✓	✓	✓
EWWD~H-	R-134a			✓			✓	✓
<b>Water cooled chillers (Cooling only)</b>								
EWVQ~B-	R-410A			✓		✓	✓	✓
<b>Condenserless chillers</b>								
EWLP~KBW1N	R-407C		✓			✓		✓
EWLD~J-	R-134a			✓		✓		✓
EWLD~G-	R-134a			✓		✓		✓
EWLD~I-	R-134a			✓		✓		✓
<b>Water cooled centrifugal chillers</b>								
EWWD~FZ	R-134a	✓			✓		✓	✓
DWME	R-134a	✓			✓		✓	✓
DWSC DWDC	R-134a	✓			✓		✓	✓
3,000 TON CENTRIFUGAL <b>NEW</b>	R-134a				✓		✓	✓




Capacity classes (kW)




# Overview Air handling units

Air flow (m<sup>3</sup>/h \* 1000)
















Daikin fresh air package - Plug & play concept for D-AHU Professional & Easy

## Plug & play connection to VRV IV or ERQ



# Overview Fan coil units

Reference				1	2	3	4	5	6	7	8	9	10	11	12	16	18	20	22kW	
900x900 cassette	FWC-BT/BF	cooling																		
		heating																		
	FWC-CT	cooling																		
		heating																		
600x600 cassette	FWF-BT/BF	cooling																		
		heating																		
	FWF-CT	cooling																		
		heating																		
	FWT-CT	cooling																		
		heating																		
Flexi with cabinet	FWL-DAT/DAF	cooling																		
		heating																		
	FWR-AT/AF	cooling																		
		heating																		
Flexi without cabinet	FWM-DAT/DAF	cooling																		
		heating																		
	FWS-AT/AF	cooling																		
		heating																		
	Ducted Low ESP	FWE-CT	cooling																	
			heating																	
FWB-BT		cooling																		
		heating																		
Ducted Medium ESP	FWP-AT	cooling																		
		heating																		
Ducted High ESP	FWD-AT/AF	cooling																		
		heating																		
	FWZ-AT/AF	cooling																		
		heating																		
Floor standing	FW-DAT/DAF	cooling																		
		heating																		
	FWZ-AT/AF	cooling																		
		heating																		
	FWZ-AT/AF	cooling																		
		heating																		
FWZ-AT/AF	cooling																			
	heating																			



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.



Daikin Europe N.V. participates in the Eurovent Certification programme for Air conditioners (AC), Liquid Chilling Packages (LCP), Air handling units (AHU) and Fan coil units (FCU). Check ongoing validity of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com) or using: [www.certiflash.com](http://www.certiflash.com)



ECPEN13-440A - XXX - 05/13 - Copyright Daikin  
 The present publication supersedes ECPEN13-440  
 Printed on non-chlorinated paper. Prepared by La Movida, Belgium.  
 Resp. Ed.: Daikin Europe N.V., Zandvoordestraat 300, B-8400 Oostende

FSC

ECPEN13-440A

Daikin products are distributed by: